

# WIDESCAPE



## VEHICLE SPECS

### ENGINE

	WIDESCAPE
Engine Type	Liquid-cooled, four-stroke
Displacement <span>?</span>	242 cc
Cooling <span>?</span>	NA
Cylinders <span>?</span>	1
Bore x Stroke <span>?</span>	71 mm x 61 mm (2.79 in. x 2.40 in)
Lubrication <span>?</span>	NA
Ignition	Electric
Engine Stator Output <span>?</span>	NA
Fuel Delivery <span>?</span>	EFI
Exhaust	NA
Fuel Capacity	2.11 US gal. (8 L)
Oil System Capacity	NA
Coolant System Capacity	NA
Minimum Octane <span>?</span>	Premium unleaded recommended / 86


**POWERTRAIN**

	WIDESCAPE
Drive Clutch <span>?</span>	CVTech®
Driven Clutch <span>?</span>	NA
Drive System	NA
Brakes	J.Juan® floating caliper system
Clutch Calibration <span>?</span>	NA
Gearing	NA
Chain Pitch	NA
Track Drive Sprocket <span>?</span>	NA
Reverse	NA

**SUSPENSION**

	WIDESCAPE
Front Suspension	Widescape® Design / 140 mm (5.51 in) travel
Ski Shocks	NA
Sway Bar <span>?</span>	NA
Front Travel	5.51 in
Rear Suspension	Widescape® Design / 100 mm (3.93 in) travel
Front Track Shock	NA
Rear Track Shock	NA
Rear Travel	3.93 in

## DIMENSIONS

	WIDESCAPE
Overall Chassis Length	2,200 mm (86.4 in)
Overall Chassis Width	800 mm (31.44 in)
Overall Chassis Height	1,300 mm (51.12 in)
Track Type	Custom designed scaled track made by Soucy®
Track Width	305 mm (12 in)
Track Length	2,667 mm (105 in)
Lug	38 mm (1.5 in)
Pitch 	NA
Ski Stance	305 mm (12 in)
Ski Type/Width	UHMW material with single keel and dual-sided metal lips / 305 mm (12 in)
Runner Type	NA

## INSTRUMENTATION

	WIDESCAPE
Type of Gauge	Digital
Speedometer	Digital
Tachometer 	NA
Odometer	Digital
Fuel	Low Fuel Icon
Oil	NA

	WIDESCAPE
Coolant	NA
Clock	NA
Battery Voltage	NA
Altimeter	NA
Hours	NA

## FEATURES

	WIDESCAPE
Color	Black
Heat Exchanger <span>?</span>	NA
Starter	Electric
Handlebars	Aluminum, Width: 780 mm (30.30 in) Diameter: 35 MM (1.37 in) Rise: 15 MM (0.59 in)
Lighting	LED
Seating	NA
Standard Accessories	NA
Windshield	NA

*Vehicle specifications are subject to change.*