

ZR R-XC



VEHICLE SPECS

ENGINE

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Engine Type	600, 2-Stroke	
Displacement ?	599cc	
Cooling ?	Liquid	
Cylinders ?	2	
Bore x Stroke ?	73.8 x 70 mm	
Lubrication ?	Electronic Injection	
Ignition	Digitally Controlled CDI	
Engine Stator Output ?	270W @ 3000 RPM	
Fuel Delivery ?	Dual Stage Injection	
Exhaust	APV w/ Tuned Pipe, Pipe Sensor, Stainless Steel Manifold & Muffler	
Fuel Capacity	10.4 gal	
Oil System Capacity	3 qt	
Coolant System Capacity	5.4 qt	
Minimum Octane ?	91	

POWERTRAIN

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Drive Clutch ?	ADAPT	
Driven Clutch ?	ADAPT	
Drive System	AC Trail Belt Drive	
Brakes	Stealth Hydraulic Master Cylinder w/ Race Caliper	
Clutch Calibration ?	0-5,000 ft	
Gearing	30/58	
Chain Pitch	Belt	
Track Drive Sprocket ?	8 Tooth, 2.86 Pitch, Exvolute	
Reverse	Push-Button Engine	

SUSPENSION

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Front Suspension	AWS 42	
Ski Shocks	Fox QS3R	
Sway Bar ?	Standard	
Front Travel	8.2 in	
Rear Suspension	R-XC SLIDE-ACTION w/ 4 Wheel Rear Axle Assembly, Coupling Blocks, Torque-Sensing Link Rear Arm & Adjustable Torsion Springs	
Front Track Shock	FOX 1.5 QS3	
Rear Track Shock	FOX 2.0 ZERO QS3R	

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Rear Travel	13.5 in	

DIMENSIONS

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Overall Chassis Length	126 in	
Overall Chassis Width	48-49 in	
Overall Chassis Height	48 in	
Track Type	Cobra	
Track Width	15 in	
Track Length	137 in	
Lug	1.35 in	
Pitch ?	2.86 in	
Ski Stance	41.5-42.5 in - Adjustable	
Ski Type/Width	C&A Pro XPT	
Runner Type	Woody's Dooly 6 in	

INSTRUMENTATION

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Type of Gauge	G8 (CAN w/o Group Ride)	
Speedometer	Digital	
Tachometer ?	Digital	
Odometer	Digital	

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Fuel	Digital	
Oil	Indicator Light	
Coolant	Digital/Indicator Light	
Clock	Digital	
Battery Voltage	Digital	
Altimeter	Digital	
Hours	Digital	

FEATURES

	ZR 600 R-XC EPS	ZR 858 R-XC EPS
Color	Race Green	
Heat Exchanger ?	Front/Long Tunnel	
Starter	Push-Button Electric Start	
Handlebars	Hooked	
Lighting	LED	
Seating	Trail	
Standard Accessories	12V Outlet, Sport Front Bumper, Integrated Goggle Holder, ATACH mounting, Handguards, Hand & Thumb Warmers, Race Brake Disc, EPS Steering, Tether Switch, Visor Plug-In	
Windshield	5.5 in Low Height	

Vehicle specifications are subject to change.